

Prescriptive Lighting

Measure Category	Measure	Incentive per Unit	
Screw-In/Pine-Base lamps	A-Line (A19, A21, etc.)	\$3	Bulb
Screw-In/Pine-Base lamps	Decorative (candle, globe, B-Shape, etc.)	\$5	Bulb
Screw-In/Pine-Base lamps	PAR16 or MR16 (pin or GU10 base type)	\$4	Bulb
Screw-In/Pine-Base lamps	PAR20 or R20 (screw-in)	\$5	Bulb
Screw-In/Pine-Base lamps	PAR30 or BR30 or R30 (screw-in)	\$6	Bulb
Screw-In/Pine-Base lamps	PAR38 or BR40 or R40 (screw-in)	\$7	Bulb
Screw-In/Pine-Base lamps	G23 (2-pin)	\$6	Bulb
Screw-In/Pine-Base lamps	G24 (2-pin or 4-pin)	\$8	Bulb
Linear Lamps	T8 or T5	\$5	Tube
Linear Lamps	U-Bend	\$5	Tube
Mounted Fixture	Recessed or Surface-Mounted Downlight Fixture <3,000 lumens	\$20	Fixture
Mounted Fixture	Recessed or Surface-Mounted Downlight Fixture ≥3,000 lumens	\$40	Fixture
Mounted Fixture	Recessed or Surface-Mounted Downlight Fixture w/control <3000 lumens	\$50	Fixture
Mounted Fixture	Recessed or Surface-Mounted Downlight Fixture w/controls ≥3000 lumens	\$65	Fixture
Mounted Fixture	Strip or Wrap Fixture	\$30	Fixture
Mounted Fixture	Strip or Wrap Fixture w/ controls	\$55	Fixture
Mounted Fixture	Stairwell Fixture (bilevel capable) <55 watts	\$75	Fixture
Case and Track Lighting	Refrigerated, Freezer, or Display case	\$15	Foot
Case and Track Lighting	Track Lighting (DLC Standard)	\$25	Head
Case and Track Lighting	Track Lighting (DLC Premium)	\$35	Head
Troffer and Panel Fixtures and Retrofit Kits	1x4, 2x2, 2x4 Troffer or Panel (DLC Standard)	\$25	Fixture
Troffer and Panel Fixtures and Retrofit Kits	1x4, 2x2, 2x4 Troffer or Panel (DLC Premium)	\$30	Fixture
Troffer and Panel Fixtures and Retrofit Kits	1x4, 2x2, 2x4 Troffer or Panel w/ controls (DLC Standard)	\$100	Fixture
Troffer and Panel Fixtures and Retrofit Kits	1x4, 2x2, 2x4 Troffer or Panel w/ controls (DLC Premium)	\$125	Fixture
High-Bay and Low-Bay Fixtures	high/low-bay <15,000 lumens	\$80	Fixture
High-Bay and Low-Bay Fixtures	high/low-bay ≥15,000 and <30,000 lumens	\$110	Fixture
High-Bay and Low-Bay Fixtures	high/low-bay ≥30,000 lumens	\$140	Fixture
High-Bay and Low-Bay Fixtures	high/low-bay w/ controls <15,000 lumens	\$115	Fixture
High-Bay and Low-Bay Fixtures	high/low-bay w/ controls ≥15,000 and <30,000 lumens	\$145	Fixture
High-Bay and Low-Bay Fixtures	high/low-bay w/ controls ≥30,000 lumens	\$170	Fixture
High-Bay and Low-Bay Fixtures	low-bay mogul < 5,000 lumens	\$45	Fixture
High-Bay and Low-Bay Fixtures	low-bay mogul 5,000 - 9,999 lumens	\$55	Fixture
High-Bay and Low-Bay Fixtures	high-bay mogul ≥10,000 lumens	\$75	Fixture



ENERGY EFFICIENCY INVESTMENT FUND FOR NON-PROFITS REBATES

Measure Category	Measure	Incentive per Unit	
Outdoor Fixtures	Outdoor Fixture <15,000 lumens	\$80	Fixture
Outdoor Fixtures	Outdoor Fixture ≥15,000 and <30,000 lumens	\$115	Fixture
Outdoor Fixtures	Outdoor Fixture ≥30,000 lumens	\$170	Fixture
Parking Garage Fixtures	Parking Garage Fixture <15,000 lumens (DLC Standard)	\$75	Fixture
Parking Garage Fixtures	Parking Garage Fixture <15,000 lumens (DLC Premium)	\$85	Fixture
Parking Garage Fixtures	Parking Garage Fixture ≥15,000 and <30,000 lumens (DLC Standard)	\$150	Fixture
Parking Garage Fixtures	Parking Garage Fixture ≥15,000 and <30,000 lumens (DLC Premium)	\$165	Fixture
Exterior Mogul Lamps	Mogul Lamp 250- <5,000 lumens (175W equiv.)	\$60	Lamp
Exterior Mogul Lamps	Mogul Lamp 5,000 - <10,000 lumens (250W equiv.)	\$80	Lamp
Exterior Mogul Lamps	Mogul Lamp ≥10,000 lumens (400W equiv.)	\$105	Lamp
Exit Sign	LED Exit Sign	\$35	Fixture
Lighting Controls	Daylight dimmer	\$20	Control
Lighting Controls	Occupancy dimmer	\$20	Control
Lighting Controls	Wall Mount Occupancy Sensor	\$20	Control
Lighting Controls	Remote Mount Occupancy Sensor	\$25	Control
Lighting Controls	Dual Sensor	\$30	Control
Lighting Controls	Dual Sensor w/ Network Capability	\$40	Control
Lighting Controls	Outdoor Integral Fixture w/ Programable Controller	\$60	Control



ENERGY EFFICIENCY INVESTMENT FUND FOR NON-PROFITS REBATES

HVAC and Water Heating

Air Conditioning Rebates	Specification	Incentive per Unit	
Air Conditioners	AHRI Certified, meets efficiency requirements from tables below	\$250	Tons
Air Source Heat Pumps	AHRI Certified, meets efficiency requirements from tables below	\$1,000	Tons
Ductless Mini-Split Heat Pumps	AHRI Certified, meets efficiency requirements from tables below	\$500	Tons
Packaged Terminal Air Conditioner	AHRI Certified, meets efficiency requirements from tables below	\$100	Tons
Packaged Terminal Heat Pump	AHRI Certified, meets efficiency requirements from tables below	\$250	Tons
Chillers	AHRI Certified, meets efficiency requirements from tables below	\$50	Tons
	Performance Incentive for each 0.01 kW/ton point below qualifying efficiency relative to IPLV	\$5	kW/Tons

Natural Gas Heating Equipment	Specification	Incentive per Unit	
Furnace up to 150 MBH	95% AFUE or greater with ECM	\$750	Each
Furnace up to 150 MBH	97% AFUE or greater with ECM	\$1,000	Each
Condensing Unit Heater up to 300 MBH	90% or greater thermal efficiency	\$750	Each
Infrared Heater, all sizes	Low Intensity	\$750	Each
Condensing Boiler up to 300 MBH	90% AFUE or greater	\$1,000	Each
Condensing Boiler up to 300 MBH	95% AFUE or greater	\$1,500	Each

Water Heating Equipment	Specification	Incentive per Unit	
On-Demand Tankless with electronic ignition	UEF of 0.82 or greater	\$750	Each
On-Demand Tankless with electronic ignition	UEF of 0.95 or greater	\$1,000	Each
Commercial Heat Pump Water Heater	UEF 3.0+	\$750	Each
Commercial Heat Pump Water Heater	UEF 3.3+	\$1,000	Each
High Efficiency Indirect Water Heater	UEF of ≥ 0.82 <u>OR</u> combined appliance efficiency rating of $\geq 85\%$	\$400	Each
Condensing Stand Alone 75 to 300 MBH	95% or greater thermal efficiency	\$1,000	Each

Miscellaneous	Specification	Incentive per Unit	
Gas Boiler Pipe Insulation	Where none existed or not required by code	\$1	Linear Foot
Air Compressor VSD	Constant speed compressor to VSD	\$200	HP
After Market Boiler Reset Controls		\$225	Each
Steam Traps	More than 70 per project requires pre-approval	\$50	Each
Smart Thermostats	Heating and cooling systems <65,000 Btu/h	\$100	Each
VFDs on HVAC (Supply/Return/Exhaust Fans, CHW Pumps, HHW Pumps ONLY)	For HVAC Motors <5 HP, without a VFD currently installed	\$50	HP
	For HVAC Motors 5-10 HP, without a VFD currently installed	\$75	HP
	For HVAC Motors 10 - 200 HP, without a VFD currently installed	\$100	HP
AC Tune Up < 65,000 BTUh		\$50	Each
Exhaust Hood Demand Controlled Ventilation, Commercial	Commercial kitchen exhaust hood demand controlled ventilation on new kitchen exhaust system	\$1,500	HP
Dual Enthalpy Economizer		\$150	Tons
ECM Evap Fan Motor	Synchronous motor - case cooler	\$60	Each
	Synchronous motor - walk-in cooler	\$100	Each

Effective Jan. 1, 2024

Air Cooled Air Conditioners		
Size Category	Heating Type	Qualifying Efficiency
<5.4 tons Split	Any	15.0 SEER & 12.5 EER OR 14.25 SEER2 & 11.5 EER2
	Any	15.0 SEER & 12.5 EER OR 14.25 SEER2 & 11.5 EER2
≥5.4 to <11.25 tons	Electric Resistance (or None)	12.2 EER & 14.0 SEER
	Other	12 EER & 13.8 IEER/SEER
≥11.25 to <20 tons	Electric Resistance (or None)	12.2 EER & 13.2 IEER/SEER
	Other	12 EER & 13 IEER/SEER
≥20 to <63.3 tons	Electric Resistance (or None)	10.5 EER & 12.3 IEER/SEER
	Other	10.3 EER & 12.1 IEER/SEER
≥63.3 tons	Electric Resistance (or None)	9.9 EER & 11.6 IEER/SEER
	Other	9.7 EER & 11.4 IEER/SEER

Water Cooled Air Conditioners		
Size Category	Heating Type	Qualifying Efficiency
<5.4 tons	Electric Resistance (or None)	14.0 EER
	Other	14.0 EER
≥5.4 to <11.25 tons	Electric Resistance (or None)	14.0 EER & 15.3 IEER/SEER
	Other	13.8 EER & 15.1 IEER/SEER
≥11.25 to <20 tons	Electric Resistance (or None)	14.0 EER & 15.3 IEER/SEER
	Other	13.8 EER & 14.6 IEER/SEER
≥20 to <63.3 tons	Electric Resistance (or None)	14.0 EER & 14.8 IEER/SEER
	Other	13.8 EER & 14.6 IEER/SEER
≥63.3 tons	Electric Resistance (or None)	14.0 EER & 14.8 IEER/SEER
	Other	13.8 EER & 14.6 IEER/SEER

Evaporatively Cooled Air Conditioners		
Size Category	Heating Type	Qualifying Efficiency
<5.4 tons	Electric Resistance (or None)	14.0 EER
	Other	14.0 EER
≥5.4 to <11.25 tons	Electric Resistance (or None)	14.0 EER & 15.3 IEER/SEER
	Other	13.8 EER & 15.1 IEER/SEER
≥11.25 to <20 tons	Electric Resistance (or None)	13.5 EER & 14.3 IEER/SEER
	Other	13.3 EER & 14.1 IEER/SEER
≥20 to <63.3 tons	Electric Resistance (or None)	13.5 EER & 14.3 IEER/SEER
	Other	13.3 EER & 14.1 IEER/SEER
≥63.3 tons	Electric Resistance (or None)	13.5 EER & 14.3 IEER/SEER
	Other	13.3 EER & 14.1 IEER/SEER



ENERGY EFFICIENCY INVESTMENT FUND FOR NON-PROFITS REBATES

Air Source Heat Pumps		
Size Category	Heating Type	Qualifying Efficiency
<5.4 tons Split	Any	15.0 SEER & 12.5 EER & 8.2 HSPF OR 14.25 SEER2 & 11.7 EER2 & 6.6 HSPF2
<5.4 tons Packaged	Any	15.0 SEER & 12 EER & 8.2 HSPF OR 14.25 SEER2 & 11.2 EER2 & 6.6 HSPF2
≥5.4 to <11.25 tons	Electric Resistance (or None)	11.8 EER & 13.6 IEER/SEER & 3.4 COP/HSPF
	Other	11.6 EER & 13.4 IEER/SEER & 3.4 COP/HSPF
≥11.25 to <20 tons	Electric Resistance (or None)	10.9 EER & 12.8 IEER/SEER & 3.3 COP/HSPF
	Other	10.7 EER & 12.6 IEER/SEER & 3.3 COP/HSPF
≥20 to <63.3 tons	Electric Resistance (or None)	10.3 EER & 11.8 IEER/SEER & 3.3 COP/HSPF
	Other	10.1 EER & 11.6 IEER/SEER & 3.3 COP/HSPF

Ductless Mini Split Heat Pumps		
Size Category	Heating Type	Qualifying Efficiency
<5.4 tons	All	12 EER & 15 IEER/SEER & 8.5 HSPF

Packaged Terminal Air Conditioners		
Standard Size	Heating Type	Qualifying Efficiency
< .75 tons	All	12.81 EER
> .75 and < 1 ton	All	11.87 EER
> 1 ton	All	10.92 EER
Non-Standard Size*	Heating Type	Qualifying Efficiency
< .75 tons	All	10.1 EER
> .75 and < 1 ton	All	9.43 EER
> 1 ton	All	8.76 EER
* Replacement unit shall be factory labeled as follows: "MANUFACTURED FOR REPLACEMENT APPLICATIONS ONLY: NOT TO BE INSTALLED IN NEW CONSTRUCTION PROJECTS." Replacement efficiencies apply only to units with existing sleeves less than 16 inches (406 mm) in height and less than 42 inches (1067 mm) in width		

Packaged Terminal Heat Pumps

Standard Size	Heating Type	Qualifying Efficiency
< .75 tons	All	12.81 EER & 3.19 COP
> .75 and < 1 ton	All	11.87 EER & 3.12 COP
> 1 ton	All	10.92 EER & 3.03 COP
Non-Standard Size*	Heating Type	Qualifying Efficiency
< .75 tons	All	10.0 EER & 2.88 COP
> .75 and < 1 ton	All	9.32 EER & 2.80 COP
> 1 ton	All	8.65 EER & 2.72 COP

* Replacement unit shall be factory labeled as follows: "MANUFACTURED FOR REPLACEMENT APPLICATIONS ONLY: NOT TO BE INSTALLED IN NEW CONSTRUCTION PROJECTS." Replacement efficiencies apply only to units with existing sleeves less than 16 inches (406 mm) in height and less than 42 inches (1067 mm) in width

Air-Cooled Chillers

Size Category	Compliance Path*	Qualifying Efficiency (Must Meet Both)	
		Full Load - EER	IPLV - EER
<150 Tons	Path A	≥10.605	≥14.385
	Path B	≥10.185	≥16.59
≥150 tons	Path A	≥10.605	≥14.7
	Path B	≥10.185	≥16.905

Water Cooled, Electrically Operated, Positive Displacement Chillers

Size Category	Compliance Path*	Qualifying Efficiency (Must Meet Both)	
		Full Load kW/Ton	IPLV kW/Ton
<75 tons	Path A	≤0.713	≤0.57
	Path B	≤0.741	≤0.475
≥75 and <150 tons	Path A	≤0.684	≤0.532
	Path B	≤0.713	≤0.466
≥150 and <300 tons	Path A	≤0.627	≤0.513
	Path B	≤0.646	≤0.418
≥300 tons and <600 tons	Path A	≤0.58	≤0.494
	Path B	≤0.594	≤0.39
≥600 tons	Path A	≤0.532	≤0.475
	Path B	≤0.556	≤0.361

Water Cooled, Electrically Operated, Centrifugal Chillers			
Size Category	Compliance Path*	Qualifying Efficiency (Must Meet Both)	
		Full Load kW/Ton	IPLV kW/Ton
<150 tons	Path A	≤0.58	≤0.523
	Path B	≤0.66	≤0.418
≥150 and <300 tons	Path A	≤0.58	≤0.523
	Path B	≤0.603	≤0.38
≥300 and <400 tons	Path A	≤0.532	≤0.494
	Path B	≤0.565	≤0.371
≥400 and <600 tons	Path A	≤0.532	≤0.475
	Path B	≤0.556	≤0.361
≥600 tons	Path A	≤0.532	≤0.475
	Path B	≤0.556	≤0.361

*Path A is intended for applications where significant operating time is expected at full-load conditions. Path B is an alternative set of efficiency levels for water-cooled chillers intended for applications where significant time is expected at part load. All Path B chillers are required to be equipped with demand-limiting controls. Compliance with the code can be achieved by meeting the requirements of either Path A or B. However, both full-load and IPLV levels must be met to fulfill the requirements of Path A or B.

Food Service and Refrigeration

Description	Specification	Incentive per unit	
Commercial Ice Machine	Ice Maker Head (IMH)	\$250	Each
	Remote Condensing Unit (RCU)	\$350	Each
	Self-Contained Unit (SCU)	\$150	Each
Commercial Dishwasher - Low Temperature	Undercounter, EnergyStar Qualified	\$400	Each
	Stationary Single Tank Door, EnergyStar Qualified	\$600	Each
	Single Tank Conveyor, EnergyStar Qualified	\$750	Each
	Multi Tank Conveyor, EnergyStar Qualified	\$1,000	Each
Commercial Dishwasher - High Temperature	Undercounter, EnergyStar Qualified	\$1,000	Each
	Stationary Single Tank Door, EnergyStar Qualified	\$1,000	Each
	Single Tank Conveyor, EnergyStar Qualified	\$1,500	Each
	Multi Tank Conveyor, EnergyStar Qualified	\$2,000	Each
Commercial Freezer	EnergyStar Qualified, Vertical Door, Must use hydrocarbon natural refrigerants (R-290 or R-600a)	\$350	Each
Commercial Clothes Washer	EnergyStar Qualified, MEF >= 2.2, WF <= 4.5	\$200	Each
Combination Oven: Electric	Size less than 15 Pan Model, EnergyStar Qualified	\$2,000	Each
	Size 15+ Pan Model, EnergyStar Qualified	\$3,000	Each
Combination Oven: Gas	Size less than 15 Pan Model, EnergyStar Qualified	\$1,000	Each
	Size 15+ Pan Model, EnergyStar Qualified	\$1,500	Each
Convection Oven	EnergyStar Qualified, Full-Size	\$1,000	Each
	EnergyStar Qualified, Half-Size	\$500	Each
Conveyor Oven	Gas Rack Oven, EnergyStar Qualified	\$1,250	Each
Commercial Fryer	EnergyStar Qualified	\$1,000	Each
Commercial Griddle	EnergyStar Qualified	\$350	Each
Hot Food Holding Cabinet	EnergyStar Qualified, Full Size	\$750	Each
	EnergyStar Qualified, Half-Size	\$500	Each
Rack Oven: Gas	Commercial, Double-Rack	\$2,000	Each
	Commercial, Single-Rack	\$1,500	Each
Steamer Cooker	Must meet ENERGY STAR cooking efficiency and idle energy rate requirements	\$1,500	Each
Night Cover for Refrigerated Cases		\$20	Linear Foot
Anti-Condensation Heater Controls - Low/Mid Temp	Must be humidity-based (anti-sweat) controls using a humidity sensor for on/off or micro pulse control. Must be a retrofit to existing units	\$50	Door
Refrigeration Door Gasket Replacement	Replacing an old and/or damaged gasket	\$25	Door
High Efficiency Pre-Rinse Spray Valve	Low-flow pre-rinse spray valve, 0.75 - 1.6 gpm,	\$25	Each
	Low-flow pre-rinse spray valve, less than 0.75 gpm, CEE Tier 2	\$35	Each