

ENERGIZE DELAWARE administers the **Energy Efficiency Investment Fund for Non-Profits** (EEIF for Non-Profits) to support non-residential facilities to install energy-efficient equipment, systems, and controls. EEIF for Non-Profits grants are available to Delaware non-profit organizations that do not pay Public Utility Tax (PUT) for electricity and gas.

## PATHS FOR PARTICIPATION

### ✓ **PRESCRIPTIVE IMPROVEMENT GRANTS**

Covers common lighting, food service appliances and HVAC, which includes natural gas heating and water heating equipment. If you install qualifying equipment, you can submit for the grant after installation.

- ✓ **CUSTOM IMPROVEMENT GRANTS** (Pre-Approval must be obtained **BEFORE** beginning work)  
Custom Improvement Grants apply to more complex measures that are not included or are more comprehensive than the equipment funded by Prescriptive Improvement Grants. An energy savings estimate must be submitted, which the EEIF for Non-profits staff will review. You must apply for the Custom Improvement Grant **BEFORE** work starting so we can verify whether your project qualifies. Please contact us at (888) 735-1510 for details.

## APPLICATION CHECKLIST

Here's what you will need to get started:

- ✓ Fill out this application form (Steps 1 through 5), including utility account numbers.
- ✓ Verify the equipment you install meet the eligibility requirements listed in the Appendices.
- ✓ Complete the Application Energy Calculator(s) applicable to your project.
- ✓ Itemized quotes, estimates, or proposals
- ✓ Recent electric and/or gas utility bill(s) for your project location (within past 3 months).
- ✓ Sign and date application (Step 6) to accept EEIF for Non-Profits terms and conditions.
- ✓ For Prescriptive Improvement Grants, include copies of paid project invoices.
- ✓ Copy of completed W-9 Form.

## COMPLETE APPLICATION CALCULATOR(S)

Download and complete the Application Energy Calculator(s) applicable to your project,

[Lighting](#)

[HVAC and water heating](#)

[Foodservice](#)

You can also download the calculators from the [Energize Delaware EEIF for Non-profits](#) website, where you can find additional information about the program.

## SUBMIT YOUR APPLICATION

Email the checklist items (recent utility bills, estimates or proposals, W-9, invoices, etc.), completed Calculator(s), and this signed application to:

**EEIF for Non-Profits Program**  
[energizede@appliedenergygroup.com](mailto:energizede@appliedenergygroup.com)

## NEED HELP WITH THE APPLICATION?

Please contact us at (888) 735-1510 or [energizede@appliedenergygroup.com](mailto:energizede@appliedenergygroup.com).

If your facility does pay the Public Utility Tax (PUT), you may be eligible for Department of Natural Resources and Environmental Control (DNREC)'s EEIF Program. For more information, visit <https://dnrec.delaware.gov/climate-coastal-energy/efficiency/energy-efficiency-investment-fund/>.

## TERMS AND CONDITIONS

### Application process

1. Equipment must be new, purchased and installed before the grant payment can be issued.
2. Project pre-approval is required prior to any equipment purchase or any services completed for all grant applications.
3. Commitment of grant is subject to availability of program funds.
4. Applicant is fully responsible for providing a complete application and supporting documents.

### Project Eligibility

5. All qualifying systems must be installed in accordance with the standards and specifications of the manufacturers of the components in the system, in compliance with all federal, state, and local safety, building and environmental codes and ordinances and these guidelines. The applicant agrees, as a condition of participation in the program, to remove and dispose at its sole cost and expense any and all equipment or materials that are replaced or removed in accordance with all applicable laws, rules, and regulations.
6. All equipment must be tested to Underwriters Laboratory ("UL") standards and be UL listed and installed per manufacturer's instructions.
7. Full 3-year warranty against component failure, malfunction and premature output degradation on all equipment is required. ENERGIZE DELAWARE neither expressly nor implicitly warrants the performance of installed equipment.
8. ENERGIZE DELAWARE does not endorse any particular manufacturer, product, or system in promoting this program.

### Payment

9. The applicant may assign the incentive payment to the contractor. Incomplete or missing information will delay the processing of the application and incentive payment.
10. The Fund will not pay more than 60% of the total project cost for any proposed project as detailed on itemized invoices. Energy savings calculations are subject to revisions to baseline determination.
11. ENERGIZE DELAWARE reserves sole discretion to accept or reject any applications. ENERGIZE DELAWARE makes no commitment to provide grant payment prior to final application approval.

### Site inspection

12. ENERGIZE DELAWARE may conduct an on-site visit prior to installation to inspect the facility's existing equipment or conduct a post-installation visit.
13. The applicant agrees to allow ENERGIZE DELAWARE or its program evaluator to conduct on-site inspections to verify that the incentivized measures are installed and to conduct other measurement and verification activities to assess the amount of energy savings achieved.
14. The applicant further agrees to allow ENERGIZE DELAWARE or its program evaluator to have access to the awarded facility's energy use data for a period of at least five years following installation of the incentivized measures, including, but not to be limited to, signing an authorization form for utility usage history.

### Tax Liability

15. The applicant is responsible for any tax liability imposed as a result of the payment of grants. Please contact your tax professional for more information.

### Changes to the Program

16. ENERGIZE DELAWARE may change the program, the terms and conditions, program guidelines, and operational procedures at any time without notice. Pre-approved applications will be processed to completion under the program terms and conditions, program guidelines and procedures in effect at the time of the approval by ENERGIZE DELAWARE.

**STEP 1: APPLICANT INFORMATION**

\_\_\_\_\_  
Company name

\_\_\_\_\_  
Organization type

\_\_\_\_\_  
Mailing address

\_\_\_\_\_  
Contact name

\_\_\_\_\_  
City State Zip

\_\_\_\_\_  
Email Phone

**STEP 2: PREMISE SITE AND BUILDING DETAILS**

\_\_\_\_\_  
Site name

\_\_\_\_\_  
County

\_\_\_\_\_  
Street address

\_\_\_\_\_  
Electric company and account number\*

\_\_\_\_\_  
City State Zip

\_\_\_\_\_  
Gas company and account number\* (if applicable)

\_\_\_\_\_  
Building square footage Number of floors

\_\_\_\_\_  
Building type Year built

\_\_\_\_\_  
Annual hours of operations

\_\_\_\_\_  
Heating type

\*Please include a copy of your electric and/or natural gas bill with your application (within past 3 months).

**STEP 3: PAYMENT INFORMATION**

**Send rebate check to:**

Premise address Mailing address Third Party

All rebate checks will be made payable to account holder unless authorization is completed below.

**Payment reassignment**

I am authorizing this payment of my improvement grant to the designated third party ("Payee") and I understand that I will not be receiving the rebate check from Energize Delaware. I also understand that my release of the payment to the third party does not exempt me from the requirements outlined in this application.

\_\_\_\_\_  
Signature and Date

**Make rebate check payable to:**

\_\_\_\_\_  
Payee: Company/Individual name

**Mail rebate check to:**

\_\_\_\_\_  
Street Address

\_\_\_\_\_  
City State Zip

**STEP 4: PROJECT DESCRIPTION**

Estimated project start date	Estimated total project cost (\$)
Estimated project completion date	Estimated labor cost (\$)
Brief project description	
Project workbook completed:      Lighting      HVAC and water heating      Foodservice	
Are you interested in learning about financing for the balance of the project with us?      Yes      No	

**STEP 5: CONTRACTOR INFORMATION**

Company name	Contact Name
Mailing address	Email
City                                  State                                  Zip	Phone

**STEP 6: CUSTOMER AGREEMENT**

By signing this application, I agree to the Terms and Conditions set forth on this application. I further acknowledge that I am authorized and hereby grant ENERGIZE DELAWARE express permission to release to company partners the data provided in this application and other related account information, such as consumption data, needed for the sole purpose of energy efficiency evaluation, reporting and program alerts. I understand and agree that when participating in the ENERGY EFFICIENCY INVESTMENT FUND FOR NON-PROFITS program, I am solely responsible for the selection of any contractor that will perform work. All contractual arrangements are solely between me and the contractor. I, the Customer, will hold harmless ENERGIZE DELAWARE and its officers, directors, agents, employees and representatives from all claims, liabilities, fines, interest, costs, expenses and damages incurred by me, and for any damage, injury, death, loss or destruction of any kind to persons or property, arising out of or related to this program or in any way associated with the equipment and services that are the subject of this program. ENERGIZE DELAWARE does not guarantee that installation of grant qualifying equipment will result in reduced energy usage or demand, or in cost savings. If equipment is self-installed, I certify that equipment was installed at the address shown. I certify that all information provided in the application is correct.

Signature and Date	Name (PRINTED) and Job Title
--------------------	------------------------------

## Appendix A: Prescriptive Lighting

Measure Category	Measure	Incentive per Unit	
Screw-In/Pine-Base lamps	A-Line (A19, A21, etc.)	\$3	Bulb
Screw-In/Pine-Base lamps	Decorative (candle, globe, B-Shape, etc.)	\$5	Bulb
Screw-In/Pine-Base lamps	PAR16 or MR16 (pin or GU10 base type)	\$4	Bulb
Screw-In/Pine-Base lamps	PAR20 or R20 (screw-in)	\$5	Bulb
Screw-In/Pine-Base lamps	PAR30 or BR30 or R30 (screw-in)	\$6	Bulb
Screw-In/Pine-Base lamps	PAR38 or BR40 or R40 (screw-in)	\$7	Bulb
Screw-In/Pine-Base lamps	G23 (2-pin)	\$6	Bulb
Screw-In/Pine-Base lamps	G24 (2-pin or 4-pin)	\$8	Bulb
Linear Lamps	T8 or T5	\$5	Tube
Linear Lamps	U-Bend	\$5	Tube
Mounted Fixture	Recessed or Surface-Mounted Downlight Fixture <3,000 lumens	\$20	Fixture
Mounted Fixture	Recessed or Surface-Mounted Downlight Fixture ≥3,000 lumens	\$40	Fixture
Mounted Fixture	Recessed or Surface-Mounted Downlight Fixture w/control <3000 lumens	\$50	Fixture
Mounted Fixture	Recessed or Surface-Mounted Downlight Fixture w/controls ≥3000 lumens	\$65	Fixture
Mounted Fixture	Strip or Wrap Fixture	\$30	Fixture
Mounted Fixture	Strip or Wrap Fixture w/ controls	\$55	Fixture
Mounted Fixture	Stairwell Fixture (bilevel capable) <55 watts	\$75	Fixture
Case and Track Lighting	Refrigerated, Freezer, or Display case	\$15	Foot
Case and Track Lighting	Track Lighting (DLC Standard)	\$25	Head
Case and Track Lighting	Track Lighting (DLC Premium)	\$35	Head
Troffer and Panel Fixtures and Retrofit Kits	1x4, 2x2, 2x4 Troffer or Panel (DLC Standard)	\$25	Fixture
Troffer and Panel Fixtures and Retrofit Kits	1x4, 2x2, 2x4 Troffer or Panel (DLC Premium)	\$30	Fixture
Troffer and Panel Fixtures and Retrofit Kits	1x4, 2x2, 2x4 Troffer or Panel w/ controls (DLC Standard)	\$100	Fixture
Troffer and Panel Fixtures and Retrofit Kits	1x4, 2x2, 2x4 Troffer or Panel w/ controls (DLC Premium)	\$125	Fixture
High-Bay and Low-Bay Fixtures	high/low-bay <15,000 lumens	\$80	Fixture
High-Bay and Low-Bay Fixtures	high/low-bay ≥15,000 and <30,000 lumens	\$110	Fixture
High-Bay and Low-Bay Fixtures	high/low-bay ≥30,000 lumens	\$140	Fixture
High-Bay and Low-Bay Fixtures	high/low-bay w/ controls <15,000 lumens	\$115	Fixture
High-Bay and Low-Bay Fixtures	high/low-bay w/ controls ≥15,000 and <30,000 lumens	\$145	Fixture
High-Bay and Low-Bay Fixtures	high/low-bay w/ controls ≥30,000 lumens	\$170	Fixture
High-Bay and Low-Bay Fixtures	low-bay mogul < 5,000 lumens	\$45	Fixture
High-Bay and Low-Bay Fixtures	low-bay mogul 5,000 - 9,999 lumens	\$55	Fixture
High-Bay and Low-Bay Fixtures	high-bay mogul ≥10,000 lumens	\$75	Fixture

Measure Category	Measure	Incentive per Unit	
Outdoor Fixtures	Outdoor Fixture <15,000 lumens	\$80	Fixture
Outdoor Fixtures	Outdoor Fixture ≥15,000 and <30,000 lumens	\$115	Fixture
Outdoor Fixtures	Outdoor Fixture ≥30,000 lumens	\$170	Fixture
Parking Garage Fixtures	Parking Garage Fixture <15,000 lumens (DLC Standard)	\$75	Fixture
Parking Garage Fixtures	Parking Garage Fixture <15,000 lumens (DLC Premium)	\$85	Fixture
Parking Garage Fixtures	Parking Garage Fixture ≥15,000 and <30,000 lumens (DLC Standard)	\$150	Fixture
Parking Garage Fixtures	Parking Garage Fixture ≥15,000 and <30,000 lumens (DLC Premium)	\$165	Fixture
Exterior Mogul Lamps	Mogul Lamp 250- <5,000 lumens (175W equiv.)	\$60	Lamp
Exterior Mogul Lamps	Mogul Lamp 5,000 - <10,000 lumens (250W equiv.)	\$80	Lamp
Exterior Mogul Lamps	Mogul Lamp ≥10,000 lumens (400W equiv.)	\$105	Lamp
Exit Sign	LED Exit Sign	\$35	Fixture
Lighting Controls	Daylight dimmer	\$20	Control
Lighting Controls	Occupancy dimmer	\$20	Control
Lighting Controls	Wall Mount Occupancy Sensor	\$20	Control
Lighting Controls	Remote Mount Occupancy Sensor	\$25	Control
Lighting Controls	Dual Sensor	\$30	Control
Lighting Controls	Dual Sensor w/ Network Capability	\$40	Control
Lighting Controls	Outdoor Integral Fixture w/ Programable Controller	\$60	Control

## Appendix B: HVAC and Water Heating

Air Conditioning Rebates	Specification	Incentive per Unit	
Air Conditioners	AHRI Certified, meets efficiency requirements from tables below	\$250	Tons
Air Source Heat Pumps	AHRI Certified, meets efficiency requirements from tables below	\$1,000	Tons
Ductless Mini-Split Heat Pumps	AHRI Certified, meets efficiency requirements from tables below	\$500	Tons
Packaged Terminal Air Conditioner	AHRI Certified, meets efficiency requirements from tables below	\$100	Tons
Packaged Terminal Heat Pump	AHRI Certified, meets efficiency requirements from tables below	\$250	Tons
Chillers	AHRI Certified, meets efficiency requirements from tables below	\$50	Tons
	Performance Incentive for each 0.01 kW/ton point below qualifying efficiency relative to IPLV	\$5	kW/Tons

Natural Gas Heating Equipment	Specification	Incentive per Unit	
Furnace up to 150 MBH	95% AFUE or greater with ECM	\$750	Each
Furnace up to 150 MBH	97% AFUE or greater with ECM	\$1,000	Each
Condensing Unit Heater up to 300 MBH	90% or greater thermal efficiency	\$750	Each
Infrared Heater, all sizes	Low Intensity	\$750	Each
Condensing Boiler up to 300 MBH	90% AFUE or greater	\$1,000	Each
Condensing Boiler up to 300 MBH	95% AFUE or greater	\$1,500	Each

Water Heating Equipment	Specification	Incentive per Unit	
On-Demand Tankless with electronic ignition	UEF of 0.82 or greater	\$750	Each
On-Demand Tankless with electronic ignition	UEF of 0.95 or greater	\$1,000	Each
Commercial Heat Pump Water Heater	UEF 3.0+	\$750	Each
Commercial Heat Pump Water Heater	UEF 3.3+	\$1,000	Each
High Efficiency Indirect Water Heater	UEF of $\geq 0.82$ <u>OR</u> combined appliance efficiency rating of $\geq 85\%$	\$400	Each
Condensing Stand Alone 75 to 300 MBH	95% or greater thermal efficiency	\$1,000	Each

Miscellaneous	Specification	Incentive per Unit	
Gas Boiler Pipe Insulation	Where none existed or not required by code	\$1	Linear Foot
Air Compressor VSD	Constant speed compressor to VSD	\$200	HP
After Market Boiler Reset Controls		\$225	Each
Steam Traps	More than 70 per project requires pre-approval	\$50	Each
Smart Thermostats	Heating and cooling systems <65,000 Btu/h	\$100	Each
VFDs on HVAC (Supply/Return/Exhaust Fans, CHW Pumps, HHW Pumps ONLY)	For HVAC Motors <5 HP, without a VFD currently installed	\$50	HP
	For HVAC Motors 5-10 HP, without a VFD currently installed	\$75	HP
	For HVAC Motors 10 - 200 HP, without a VFD currently installed	\$100	HP
AC Tune Up < 65,000 BTUh		\$50	Each
Exhaust Hood Demand Controlled Ventilation, Commercial	Commercial kitchen exhaust hood demand controlled ventilation on new kitchen exhaust system	\$1,500	HP
Dual Enthalpy Economizer		\$150	Tons
ECM Evap Fan Motor	Synchronous motor - case cooler	\$60	Each
	Synchronous motor - walk-in cooler	\$100	Each

<b>Air Cooled Air Conditioners</b>		
<b>Size Category</b>	<b>Heating Type</b>	<b>Qualifying Efficiency</b>
<5.4 tons Split	Any	15.0 SEER & 12.5 EER OR 14.25 SEER2 & 11.5 EER2
<5.4 tons Packaged	Any	15.0 SEER & 12.5 EER OR 14.25 SEER2 & 11.5 EER2
≥5.4 to <11.25 tons	Electric Resistance (or None)	12.2 EER & 14.0 SEER
	Other	12 EER & 13.8 IEER/SEER
≥11.25 to <20 tons	Electric Resistance (or None)	12.2 EER & 13.2 IEER/SEER
	Other	12 EER & 13 IEER/SEER
≥20 to <63.3 tons	Electric Resistance (or None)	10.5 EER & 12.3 IEER/SEER
	Other	10.3 EER & 12.1 IEER/SEER
≥63.3 tons	Electric Resistance (or None)	9.9 EER & 11.6 IEER/SEER
	Other	9.7 EER & 11.4 IEER/SEER

<b>Water Cooled Air Conditioners</b>		
<b>Size Category</b>	<b>Heating Type</b>	<b>Qualifying Efficiency</b>
<5.4 tons	Electric Resistance (or None)	14.0 EER
	Other	14.0 EER
≥5.4 to <11.25 tons	Electric Resistance (or None)	14.0 EER & 15.3 IEER/SEER
	Other	13.8 EER & 15.1 IEER/SEER
≥11.25 to <20 tons	Electric Resistance (or None)	14.0 EER & 15.3 IEER/SEER
	Other	13.8 EER & 14.6 IEER/SEER
≥20 to <63.3 tons	Electric Resistance (or None)	14.0 EER & 14.8 IEER/SEER
	Other	13.8 EER & 14.6 IEER/SEER
≥63.3 tons	Electric Resistance (or None)	14.0 EER & 14.8 IEER/SEER
	Other	13.8 EER & 14.6 IEER/SEER

<b>Evaporatively Cooled Air Conditioners</b>		
<b>Size Category</b>	<b>Heating Type</b>	<b>Qualifying Efficiency</b>
<5.4 tons	Electric Resistance (or None)	14.0 EER
	Other	14.0 EER
≥5.4 to <11.25 tons	Electric Resistance (or None)	14.0 EER & 15.3 IEER/SEER
	Other	13.8 EER & 15.1 IEER/SEER
≥11.25 to <20 tons	Electric Resistance (or None)	13.5 EER & 14.3 IEER/SEER
	Other	13.3 EER & 14.1 IEER/SEER
≥20 to <63.3 tons	Electric Resistance (or None)	13.5 EER & 14.3 IEER/SEER
	Other	13.3 EER & 14.1 IEER/SEER
≥63.3 tons	Electric Resistance (or None)	13.5 EER & 14.3 IEER/SEER
	Other	13.3 EER & 14.1 IEER/SEER



<b>Air Source Heat Pumps</b>		
<b>Size Category</b>	<b>Heating Type</b>	<b>Qualifying Efficiency</b>
<5.4 tons Split	Any	15.0 SEER & 12.5 EER & 8.2 HSPF OR 14.25 SEER2 & 11.7 EER2 & 6.6 HSPF2
<5.4 tons Packaged	Any	15.0 SEER & 12 EER & 8.2 HSPF OR 14.25 SEER2 & 11.2 EER2 & 6.6 HSPF2
≥5.4 to <11.25 tons	Electric Resistance (or None)	11.8 EER & 13.6 IEER/SEER & 3.4 COP/HSPF
	Other	11.6 EER & 13.4 IEER/SEER & 3.4 COP/HSPF
≥11.25 to <20 tons	Electric Resistance (or None)	10.9 EER & 12.8 IEER/SEER & 3.3 COP/HSPF
	Other	10.7 EER & 12.6 IEER/SEER & 3.3 COP/HSPF
≥20 to <63.3 tons	Electric Resistance (or None)	10.3 EER & 11.8 IEER/SEER & 3.3 COP/HSPF
	Other	10.1 EER & 11.6 IEER/SEER & 3.3 COP/HSPF

<b>Ductless Mini Split Heat Pumps</b>		
<b>Size Category</b>	<b>Heating Type</b>	<b>Qualifying Efficiency</b>
<5.4 tons	All	12 EER & 15 IEER/SEER & 8.5 HSPF

<b>Packaged Terminal Air Conditioners</b>		
<b>Standard Size</b>	<b>Heating Type</b>	<b>Qualifying Efficiency</b>
< .75 tons	All	12.81 EER
> .75 and < 1 ton	All	11.87 EER
> 1 ton	All	10.92 EER
<b>Non-Standard Size*</b>	<b>Heating Type</b>	<b>Qualifying Efficiency</b>
< .75 tons	All	10.1 EER
> .75 and < 1 ton	All	9.43 EER
> 1 ton	All	8.76 EER

\* Replacement unit shall be factory labeled as follows: "MANUFACTURED FOR REPLACEMENT APPLICATIONS ONLY: NOT TO BE INSTALLED IN NEW CONSTRUCTION PROJECTS." Replacement efficiencies apply only to units with existing sleeves less than 16 inches (406 mm) in height and less than 42 inches (1067 mm) in width

Packaged Terminal Heat Pumps		
Standard Size	Heating Type	Qualifying Efficiency
< .75 tons	All	12.81 EER & 3.19 COP
> .75 and < 1 ton	All	11.87 EER & 3.12 COP
> 1 ton	All	10.92 EER & 3.03 COP
Non-Standard Size*	Heating Type	Qualifying Efficiency
< .75 tons	All	10.0 EER & 2.88 COP
> .75 and < 1 ton	All	9.32 EER & 2.80 COP
> 1 ton	All	8.65 EER & 2.72 COP

\* Replacement unit shall be factory labeled as follows: "MANUFACTURED FOR REPLACEMENT APPLICATIONS ONLY: NOT TO BE INSTALLED IN NEW CONSTRUCTION PROJECTS." Replacement efficiencies apply only to units with existing sleeves less than 16 inches (406 mm) in height and less than 42 inches (1067 mm) in width

Air-Cooled Chillers			
Size Category	Compliance Path*	Qualifying Efficiency (Must Meet Both)	
		Full Load - EER	IPLV - EER
<150 Tons	Path A	≥10.605	≥14.385
	Path B	≥10.185	≥16.59
≥150 tons	Path A	≥10.605	≥14.7
	Path B	≥10.185	≥16.905

Water Cooled, Electrically Operated, Positive Displacement Chillers			
Size Category	Compliance Path*	Qualifying Efficiency (Must Meet Both)	
		Full Load kW/Ton	IPLV kW/Ton
<75 tons	Path A	≤0.713	≤0.57
	Path B	≤0.741	≤0.475
≥75 and <150 tons	Path A	≤0.684	≤0.532
	Path B	≤0.713	≤0.466
≥150 and <300 tons	Path A	≤0.627	≤0.513
	Path B	≤0.646	≤0.418
≥300 tons and <600 tons	Path A	≤0.58	≤0.494
	Path B	≤0.594	≤0.39
≥600 tons	Path A	≤0.532	≤0.475
	Path B	≤0.556	≤0.361

<b>Water Cooled, Electrically Operated, Centrifugal Chillers</b>			
<b>Size Category</b>	<b>Compliance Path*</b>	<b>Qualifying Efficiency (Must Meet Both)</b>	
		<b>Full Load kW/Ton</b>	<b>IPLV kW/Ton</b>
<150 tons	Path A	≤0.58	≤0.523
	Path B	≤0.66	≤0.418
≥150 and <300 tons	Path A	≤0.58	≤0.523
	Path B	≤0.603	≤0.38
≥300 and <400 tons	Path A	≤0.532	≤0.494
	Path B	≤0.565	≤0.371
≥400 and <600 tons	Path A	≤0.532	≤0.475
	Path B	≤0.556	≤0.361
≥600 tons	Path A	≤0.532	≤0.475
	Path B	≤0.556	≤0.361

\*Path A is intended for applications where significant operating time is expected at full-load conditions. Path B is an alternative set of efficiency levels for water-cooled chillers intended for applications where significant time is expected at part load. All Path B chillers are required to be equipped with demand-limiting controls. Compliance with the code can be achieved by meeting the requirements of either Path A or B. However, both full-load and IPLV levels must be met to fulfill the requirements of Path A or B.

## Appendix C: Food Service and Refrigeration

Description	Specification	Incentive per unit	
Commercial Ice Machine	Ice Maker Head (IMH)	\$250	Each
	Remote Condensing Unit (RCU)	\$350	Each
	Self-Contained Unit (SCU)	\$150	Each
Commercial Dishwasher - Low Temperature	Undercounter, EnergyStar Qualified	\$400	Each
	Stationary Single Tank Door, EnergyStar Qualified	\$600	Each
	Single Tank Conveyor, EnergyStar Qualified	\$750	Each
	Multi Tank Conveyor, EnergyStar Qualified	\$1,000	Each
Commercial Dishwasher - High Temperature	Undercounter, EnergyStar Qualified	\$1,000	Each
	Stationary Single Tank Door, EnergyStar Qualified	\$1,000	Each
	Single Tank Conveyor, EnergyStar Qualified	\$1,500	Each
	Multi Tank Conveyor, EnergyStar Qualified	\$2,000	Each
Commercial Freezer	EnergyStar Qualified, Vertical Door, Must use hydrocarbon natural refrigerants (R-290 or R-600a)	\$350	Each
Commercial Clothes Washer	EnergyStar Qualified, MEF >= 2.2, WF <= 4.5	\$200	Each
Combination Oven: Electric	Size less than 15 Pan Model, EnergyStar Qualified	\$2,000	Each
	Size 15+ Pan Model, EnergyStar Qualified	\$3,000	Each
Combination Oven: Gas	Size less than 15 Pan Model, EnergyStar Qualified	\$1,000	Each
	Size 15+ Pan Model, EnergyStar Qualified	\$1,500	Each
Convection Oven	EnergyStar Qualified, Full-Size	\$1,000	Each
	EnergyStar Qualified, Half-Size	\$500	Each
Conveyor Oven	Gas Rack Oven, EnergyStar Qualified	\$1,250	Each
Commercial Fryer	EnergyStar Qualified	\$1,000	Each
Commercial Griddle	EnergyStar Qualified	\$350	Each
Hot Food Holding Cabinet	EnergyStar Qualified, Full Size	\$750	Each
	EnergyStar Qualified, Half-Size	\$500	Each
Rack Oven: Gas	Commercial, Double-Rack	\$2,000	Each
	Commercial, Single-Rack	\$1,500	Each
Steamer Cooker	Must meet ENERGY STAR cooking efficiency and idle energy rate requirements	\$1,500	Each
Night Cover for Refrigerated Cases		\$20	Linear Foot
Anti-Condensation Heater Controls - Low/Mid Temp	Must be humidity-based (anti-sweat) controls using a humidity sensor for on/off or micro pulse control. Must be a retrofit to existing units	\$50	Door
Refrigeration Door Gasket Replacement	Replacing an old and/or damaged gasket	\$25	Door
High Efficiency Pre-Rinse Spray Valve	Low-flow pre-rinse spray valve, 0.75 - 1.6 gpm,	\$25	Each
	Low-flow pre-rinse spray valve, less than 0.75 gpm, CEE Tier 2	\$35	Each